

Nr. Nr.	Dim. Dim.	NPK-Nr. CAN-Nr.
------------	--------------	--------------------

Bogen 90° / Coude 90° R=1,5 D



5001	15
5003	18
5005	22
5007	28
5009	35
5011	42
5013	54

Bogen 90°, kurz / Coude 90°, court R=1 D



5059	35
5061	42
5063	54

Einsteckbogen 90° / Coude mâle-femelle 90° R=1,5 D



5101	15
5103	18
5105	22
5107	28
5109	35
5111	42
5113	54

Einsteckbogen 90°, kurz / Coude ma-fe 90°, court R=1 D



5159	35
5161	42
5163	54

Bogen 60° / Coude 60° R=1,5 D



5201	15
5203	18
5205	22
5207	28
5209	35
5211	42
5213	54

Bogen 60°, kurz / Coude 60°, court R=1 D



5259	35
5261	42
5263	54

Einsteckbogen 60° / Coude mâle-femelle 60° R=1,5 D



5301	15
5303	18
5305	22
5307	28
5309	35
5311	42
5313	54

Einsteckbogen 60°, kurz / Coude ma-fe 60°, court R=1 D



5359	35
5361	42
5363	54

Bogen 45° / Coude 45° R=1,5 D



5401	15
5403	18
5405	22
5407	28
5409	35
5411	42
5413	54

Nr. Nr.	Dim. Dim.	NPK-Nr. CAN-Nr.
------------	--------------	--------------------

Bogen 45°, kurz / Coude 45°, court R=1 D



5459	35
5461	42
5463	54

Einsteckbogen 45° / Coude mâle-femelle 45° R=1,5 D



5501	15
5503	18
5505	22
5507	28
5509	35
5511	42
5513	54

Einsteckbogen 45°, kurz / Coude ma-fe 45°, court R=1 D



5559	35
5561	42
5563	54

Bogen 30° / Coude 30° R=1,5 D



5601	15
5603	18
5605	22
5607	28
5609	35
5611	42
5613	54

Bogen 30°, kurz / Coude 30°, court R=1 D



5659	35
5661	42
5663	54

Einsteckbogen 30° / Coude mâle-femelle 30° R=1,5 D



5701	15
5703	18
5705	22
5707	28
5709	35
5711	42
5713	54

Einsteckbogen 30°, kurz / Coude ma-fe 30°, court R=1 D



5759	35
5761	42
5763	54

Bogen 15° / Coude 15° R=1,5 D



5801	15
5803	18
5805	22
5807	28
5809	35
5811	42
5813	54

Einsteckbogen 15° / Coude mâle-femelle 15° R=1,5 D



5901	15
5903	18
5905	22
5907	28
5909	35
5911	42
5913	54

Nr.	Dim.
Nr.	Dim.

Passbogen 90° / Coude d'ajustement 90°



7051	15
7053	18
7055	22
7057	28
7059	35
7061	42
7063	54

Sprungbogen / Baïonette



7001	15
7003	18
7005	22
7007	28

Sprungbogen / Baïonette



7021	15
7023	18
7025	22
7027	28

T, egal / Té



6601	15
6603	18
6605	22
6607	28
6609	35
6611	42
6613	54

T, Abgang reduziert, Té réduit



6701	18-15-18
6703	22-15-22
6705	22-18-22
6707	28-15-28
6709	28-18-28
6711	28-22-28
6713	35-15-35
6715	35-18-35
6717	35-22-35
6719	35-28-35
6721	42-22-42
6723	42-28-42
6725	42-35-42
6726	54-18-54
6727	54-22-54
6729	54-28-54
6731	54-35-54
6733	54-42-54

Muffe / Manchon



6301	15
6303	18
6305	22
6307	28
6309	35
6311	42
6313	54

Langmuffe / Manchon long



6351	15
6353	18
6355	22
6357	28
6359	35
6361	42
6363	54

Nr.	Dim.
Nr.	Dim.

Redu-Stück / Réduction



6901	18-15
6903	22-15
6905	22-18
6907	28-15
6909	28-18
6911	28-22
6917	35-22
6919	35-28
6925	42-22
6927	42-28
6929	42-35
6937	54-28
6939	54-35
6941	54-42

Übergangswinkel 90° AG / Equerre 90° mâle



6051	15-1/2"
6053	18-1/2"
6055	22-3/4"
6057	28-1"
6059	35-1 1/4"
6061	42-1 1/2"
6063	54-2"

Übergangswinkel 90° IG / Equerre 90° avec filetage femelle



6001	15-1/2"
6003	18-1/2"
6005	22-3/4"
6007	28-1"
6009	35-1 1/4"

Ansatzbogen IG 90° / Coude mixte femelle 90°



5991	15-1/2"
------	---------

Deckenwinkel IG 90° mit 2 Abg. / Equerre 90° pour circulation



6151	15-1/2"
------	---------

Deckenwinkel IG 90° / Equerre 90° femelle avec patte



6101	15-1/2"
6103	18-1/2"
6105	22-3/4"

Deckenwinkel mit Verlängerung / Equerre 90° f/avec patte prolong.



6111	15-1/2"
6113	18-1/2"
6115	22-3/4"

Nr. Nr.	Dim. Dim.
------------	--------------

Übertragungsstück AG / Raccord avec filetage mâle

6451	15-1/2"
6452	15-3/4"
6453	18-1/2"
6455	18-3/4"
6456	22-1/2"
6457	22-3/4"
6458	22-1"
6447	28-3/4"
6459	28-1"
6449	28-1 1/4"
6460	35-1"
6461	35-1 1/4"
6462	35-1 1/2"
6464	42-1 1/4"
6463	42-1 1/2"
6466	54-1 1/2"
6465	54-2"



Übertragungsmuffe IG / Raccord avec filetage femelle

6401	15-1/2"
6402	15-3/4"
6403	18-1/2"
6404	18-3/4"
6407	22-1/2"
6409	22-3/4"
6405	22-1"
6410	28-1/2"
6406	28-3/4"
6411	28-1"
6408	28-1 1/4"
6412	35-1"
6413	35-1 1/4"
6414	35-1 1/2"
6416	42-1 1/4"
6415	42-1 1/2"
6418	54-1 1/2"
6417	54-2"




T, Abgang IG / Té mixte avec filetage femelle

6801	15-1/2-15
6803	18-1/2-18
6807	22-1/2-22
6809	22-3/4-22
6811	28-1/2-28
6813	28-3/4-28
6815	35-1/2-35
6817	35-3/4-35
6819	42-1/2-42
6821	42-3/4-42
6823	54-1/2-54
6825	54-3/4-54
6827	54-2-54



Anschlussverschraubung / Union de raccordement

6571	15-3/4"
6573	18-3/4"
6575	22-1"
6577	28-1 1/4"
6579	35-1 1/2"
6581	42-2"
6583	54-2"



Nr. Nr.	Dim. Dim.
------------	--------------

Übergangsflansch PN 10/16 / Bride PN 10/16

6501	15
6503	18
6505	22
6507	28
6509	35
6511	42
6513	54



Übergangsflansch PN 6 / Bride PN 6

6521	15
6523	18
6525	22
6527	28
6529	35
6531	42
6533	54



Durchgangverschraubung flach, IG, Mutter inox / Vis de rappel plat / fil.fem, écrou inox

6851	15-1/2"
6850	15-3/4"
6853	18-1/2"
6852	18-3/4"
6856	22-1"
6855	22-3/4"
6857	28-1"
6859	35-1 1/4"
6861	42-1 1/2"
6863	54-2"



Durchgangverschraubung flach, AG, Mutter inox / Vis de rappel plat / f - m, écrou inox

6871	15-1/2"
6870	15-3/4"
6873	18-1/2"
6872	18-3/4"
6874	22-1/2"
6875	22-3/4"
6876	22-1"
6877	28-1"
6879	35-1 1/4"
6881	42-1 1/2"
6883	54-2"



Einlegeteile aus Edelstahl / Pièce folle à joint plat / inox

6251	15 x 34.0
6253	15 x 44.5
6255	18 x 38.5
6257	18 x 44.5
6259	22 x 38.5
6261	22 x 44.5
6263	28 x 44.5
6265	35 x 56.4
6267	42 x 62.0
6269	54 x 78.0



Verschlussstopfen / Bouchon

7201	15
7203	18
7205	22
7207	28
7209	35
7211	42
7213	54

